## **Section 1: Product and Company Identification**

Product Name: zMAX Full Service Formula

Product No.: 55-032

Manufacturer Information: Oil-Chem Research Corp.

6800 W. 73rd Street Bedford Park, IL 60638 Ph#: (708)728-0028

Emergency Contact: Chemtrec (800)424-9300

Recommended Use of Product: A highly refined petroleum product that is

typically used for applications including fuel, engine and transmission micro-lubrication

treatment.

\_\_\_\_\_

#### **Section 2: Hazard Identification**

## **Emergency Overview**

Appearance	Liquid
Color	Clear and Bright
Odor	Slight Petroleum Oil, Slight Ether

#### **GHS Classification**

Aspiration Hazard: Category 1

## **GHS Label Element**

Hazard Pictograms:



Signal Word: Danger

Hazard Statement: H304; May be fatal if swallowed and enters

airways.

Precautionary Statement: Response: P301 + P310 IF SWALLOWED:

Immediately Call A POISON CENTER, or

Doctor/ Physician.

P331 DO NOT Induce Vomiting.

Storage: P405 Store locked up.

**Disposal:** P501 Dispose of contents/container

to an approved waste disposal plant.

**Potential Health Effects: Eve Contact** Ingestion Inhalation Skin Contact Aggravated Medical Condition: None known. Carcinogenicity: IARC: No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. OSHA: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP: No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. Section 3: Composition / Information on Ingredients Pure Substance/Mixture: Pure Substance **Hazardous Components Chemical Name** CAS-No. Concentration % 8042-47-5 99% White Mineral Oil (Petroleum)

#### Section 4: First- Aid Measures

Skin Contact:

attention if irritation occurs.

Eye Contact: Check for and remove any contact lenses, flush

eve with water for 15 minutes; seek medical

Wash skin with soap and water; seek medical

attention if irritation occurs.

In case of excessive levels of material inhaled Inhalation: move exposed person to fresh air: seek medical

attention is coughing or breathing issues occur.

Ingestion: DO NOT induce vomiting unless directed to do

so by medical personal. Never give anything by mouth to an unconscious person. If large quantities of this product are ingested call a

POISON CENTER, or doctor/ physician immediately. Loosen tight clothing such as

collars and waist band.

Most Important Symptoms & Effects,

Both Acute & Delayed:

First aider needs to protect himself.

#### **Section 5: Fire-Fighting Measures**

Suitable Extinguishing Media: Dry Chemical

Carbon Dioxide (in case of small fires)

Water Fog Foam Sand, Earth.

Unsuitable Extinguishing Media: Do not use water jet.

Specific Hazards During Fire Fighting: Cool closed containers exposed to fire with

water spray.

**Hazardous Combustion Products:** Following products may be produced during a

> fire; Carbon oxides (CO, CO2), smoke and irritating vapors as products of incomplete

combustion.

Do Not direct a solid stream of water or foam Fire Fighting Precautions:

into burning material; this may cause splatter

spreading the fire.

Protective Equipment: Self contained breathing apparatus.

Further Information: Prevent fire extinguishing runoff from

contaminating surface water or ground water

system.

## **Section 6: Accidental Release Measures**

Personal Precautions, Protective Wear suitable protective equipment. Equipment and Emergency Procedures:

Product can create slippery conditions.

Ensure adequate ventilation. Evacuate personnel to safe area.

**Environmental Precautions:** Avoid runoff to sewers or waterways.

Do not allow uncontrollable discharge of product

into the environment.

Methods & Materials For Containment

And Cleaning:

Dike off area of the spill to prevent further

spreading of liquid.

Clean up promptly by pumping the liquid into a salvage tank or soak up with inert absorbent

material.

Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

# Section 7: Handling and Storage

Precautions for Safe Handling: Do Not handle at temperatures > +60° C

For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Use only with adequate ventilation.

In case of insufficient ventilation, wear suitable

respiratory equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and source of ignition. Keep container closed when not in use.

Conditions for Safe Storage: Store in original container.

> Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well ventilated place.

Keep in properly labeled containers.

To maintain product quality do not store in heat

or direct sunlight.

#### **Section 8: Exposure Controls / Personal Protection**

#### **Components with Workplace Control Parameters**

Contains no substances with occupational exposure limit value.

**Engineering Measures:** No special ventilation requirements. Good

general ventilation should be sufficient to control workers exposure to air born

contaminants.

#### **Personal Protective Equipment:**

Respiratory Protection: Use respiratory protection unless adequate local

exhaust ventilation is provided or exposure assessments demonstrated are within

recommended exposure guide lines. Respirator

selection must be based on known or

anticipated exposure levels, the hazards of the

product and the safe working limits of the

selected respirator.

Filter Type: Organic vapor filter.

Hand Protection: Neoprene, Nitrile, Polyvinyl Alcohol (PVA),

Viton (R).

Remarks: Chemical-resistant, impervious gloves

> complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

### Safety Data Sheet zMAX Full Service Formula Formula

Water Solubility:

Partition Coefficient:

Eye Protection: Safety glasses. Wear face shield and protective suit for abnormal processing problems. Choose body protection in relation to its type, to Skin and Body Protection: the concentration and amount of dangerous substances, and to the specific work place. Protective Measures: Wash contaminated clothing before re-use. No special protective equipment required. Remove and wash contaminated clothing and Hygiene Measures: gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling. **Section 9: Physical and Chemical Properties** Appearance: Clear and Bright Liquid Color: Clear Odor: Slight Petroleum Oil, Slight Ether Odor Threshold: No data available No data available pH: Pour Point: -20° C (-4° F) Melting Point: Not determined Freezing Point: Not determined **Boiling Point Boiling Range:** No data available 132°C / 270°F Flash Point: **Evaporation Rate:** No data available Flammability: Low Fire Hazard. This Material must be heated before ignition will occur. Upper Explosive Limit: No data available No data available Lower Explosive Limit: Vapor Pressure: No data available Vapor Density: No data available Relative Density: 0.846 kg/l (15° C / 59° F) Solubility (ies)

No data available

Insoluble

### Safety Data Sheet zMAX Full Service Formula Formula

n-ocano/water

Auto Ignition Temperature: No data available

Decomposition Temperature: No data available

**Viscosity** 

Viscosity, Kinematic: 11-14 cST (40° C /104° F)

2.9-3.2 cST (100° C / 212° F)

Explosive Properties: Do Not: pressurize, cut, weld, braze, solder,

drill, grind or expose containers to heat or

source of ignition.

## Section 10: Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reaction: Stable under normal conditions.

Conditions to Avoid:

No data available

Incompatible Materials: React with oxidizing agents.

Hazardous Decomposition Products: May release COx, smoke and irritating vapors

when heated to decomposition.

## **Section 11: Toxicological Information**

Information on Likely Routes of Exposure: Eye Contact

Ingestion Inhalation Skin Contact

#### **Acute Toxicity**

#### **Product:**

Acute Oral Toxicity: Remarks: No data available

Acute Inhalation Toxicity: Remarks: No data available

Acute Dermal Toxicity: Remarks: No data available

**Components:** 

White Mineral Oil (Petroleum)

Acute Oral Toxicity: LD50 (RAT): >5,000 mg/kg

Acute Inhalation Toxicity: LC50 (RAT): >5.2 mg/l

Exposure Time: 4 h
Test Atmosphere: Dust/Mist

Acute Dermal Toxicity: LD50 (Rabbit): >2,000 mg/kg

Skin Corrosion/Irritation

Product:

Remarks: No data available

Components:

White Mineral Oil (Petroleum)

Result: Mild Skin Reaction

Serious Eye Damage/Eye Irritation

Product:

Remarks: No data available

**Components:** 

White Mineral Oil (Petroleum)

Result: Mild Eye Irritation

Respiratory or Skin Sensitivity: No data available

Germ Cell Mutation: No data available

Carcinogenicity: No data available

Reproductive Toxicity:

No data available

STOT- Single Exposure: No data available

STOT- Repeated Exposure: No data available

**Section 12: Ecological Information** 

Eco-toxicity **Product:** 

Toxicity to Fish: Remarks: No data available

Toxicity to Daphnia and Remarks: No data available

Other Aquatic Invertebrates:

Toxicity to Algae: Remarks: No data available

Toxicity to Bacteria: Remarks: No data available

**Persistence and Degradability** 

#### Safety Data Sheet zMAX Full Service Formula Formula

**Product:** 

Biodegradability: Remarks: No data available

Bio-accumulative Potential:

No data available

Mobility in Soil: No data available

Other Adverse Effects: No data available

\_\_\_\_\_\_

## **Section 13: Disposal Considerations**

### **Disposal Methods**

Waste from Residues: The product should not be allowed to enter

drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a

licensed disposal company.

Waste must be classified and labeled prior to

recycling or disposal.

Send to a license waste management company. Dispose of as hazardous waste in compliance

with local and national regulations.

Dispose of product in accordance with the instructions of the person responsible for waste

disposal.

### **Section 14: Transport Information**

#### **International Regulations**

IATA-DGR: Not regulated as a dangerous good.

IMDG-Code: Not regulated as a dangerous good.

**49 CFR:** Not regulated as a dangerous good.

**TDG:** Not regulated as a dangerous good.

Special Precautions for User: Not applicable

## **Section 15: Regulatory Information**

OSHA Hazards: No OSHA hazards.

The components of this product are reported in the following inventories:

**DSL:** On the inventory, or in compliance with the

inventory

**TSCA:** All chemical substances in this product are

either listed on the TSCA Inventory exemption.

**EINECS:** On the inventory, or in compliance with the

inventory.


**IECSC:** 

On the inventory, or in compliance with the inventory.

#### **Section 16: Other Information**

Further Information NFPA:

HMIS III:



Health	1
Hammability	1
Physical Hazard	0
Personal Protection	В

- 0= Not Significant
- 1= Slight
- 2= Moderate
- 3= High
- 4= Extreme
- \*= Chronic

Date of Issue: 5/27/2015

Prepared by: Arnel D. Potter PhD

490 S. Waukegan Rd. Lake Forest, IL 60045 Ph#: 847-234-1282

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in ant process, unless specified in text.